

Province	Tell us about the location where you tested.	Total Hardness Reading (ppm)	Total Chlorine Reading (ppm)	Free Chlorine Reading (ppm)	What is the pH?	Total Alkalinity (ppm)	Nitrate ppm (mg/L)	Nitrite ppm (mg/L)	Metal Reading ppb (µg/L)	Phosphate Reading (ppm)	Water source?
ECape	Suburban house tap	50	1	1	7.6	248					Tap water
	Hyacinth Rd, Blue Horizon Bay	50	0	0.5		80	0	0	<10	0	Tap water
FS	The testing site is situated in a rural agricultural area about 1km from the R712 road which runs between Clarens and golden Gate in the Eastern Free State. The coordinates are: South 21degrees 31 minutes 41seconds; East 28 degrees 30minutes 50seconds.	50	0	0	6	180	0	0.15	<10	10	Raw water source (river, dam etc)
GP	Walter Sisulu Botanical Gardens	50	3	0.5	7.2	0	0.5	0.15	<10	25	Raw water source (river, dam etc)
GP	Modderfontein Nature Reserve	120	3	1	7.6	240	0	1	<10	10	Raw water source (river, dam etc)
GP	Modderfontein Nature Reserve	250	3	0.5	7.6	120	5	0.3	<10	10	Raw water source (river, dam etc)
GP	Bronkhorstspuit River - Upper Bridge Nature Reserve - performed test in Pretoria later in the day (preserved samples for transport)	120	0.5	0.5	7.6	240	0.5	1	<10	25	Raw water source (river, dam etc)
GP	TuksVillage Residence	50	1	1		40					Tap water
GP	Struisbaai Dam, Springs, Gauteng	25	0.5	1	7.6	180	0.5	0.15	<10	0	Raw water source (river, dam etc)
GP	From my kitchen tap water, Northmead, Benoni	120	0.5	0.5	7.6	360	0	0			Tap water
GP	Amis Road Bedfordview	25	1	0	7.2	240					Tap water
GP	Bryanston East, home tap water	120	0	0.5	7.6	240					Tap Water
GP	Tap water in Sunninghill, Sandton	120	0.5	1	8.2	120					Tap Water
GP	Cloverhill Club, Bronkhorstspuit Dam. Conditions are currently good as the water is still cool and algae growth has not begun fully due to temperatures. - 25.88714, 28.87817	120	0	0	7.6	120	0	0	<10	10	Raw water source (river, dam etc)
GP	Princess dam, Roodepoort, Davidsonville, 1724	25	1	5	8.2	40					Raw water source (river, dam etc)
GP	Honeysuckle, Randfontein	120	0.5	0	7.6	180					Tap Water
GP	Spruit running through the agricultural holdings Roodepoort, Honeydew, possibly fed from Easle Canyon dam	120	0	0.5	7.6	360					Raw water source (river, dam etc)
GP	Kitchen tap Johannesburg	250	0.5	1	7.6	240					Tap Water
GP	8th Ave Melville jhb	25	0.5	0	6.8	80					Tap Water
GP	Emmarentia Botanical Gardens	50	3	0	8.2	80	0.5	1	<10	25	Raw water source (river, dam etc)
GP	Kagiso - Rietvallei - Mogale City	250	10	0.5	7.6	240	0	1	<10	25	Raw water source (river, dam etc)
GP	Lynnwood Ridge, Pretoria	25	0.5	0	7.6	360					Drinking water
GP	Private house Margaret Rosettenville	250	0.5	0.5	7.6	120					Tap Water
GP	Harveston Gauteng	6	0.5	0	6	0	0	0	<10	0	Tap Water
GP	Sandspuit River Park	5	0	0	7.6	180	0.5	1	<10	50	Raw water source (river, dam etc)
GP	Faerie Glen Tap Water Test 1	50	0	1	7.6	120	0	0	<10	25	Tap Water
GP	Faerie Glen Tap water Test 2	25	0.5	0	7.2	120	0	1	<10	10	Tap Water
GP	Weltonedden Park	50	0	0	8.2	120					Tap Water
GP	Roodepoort, Davidsonville, 1724, Gauteng	50	1	0.5	8.2	360					Tap water
GP	Bridge at Comores Str over stream in Edendale in Tembisa	50	0.5	0	8.2	180	0.5	0.3	20	50	Raw water source (river, dam etc)
GP	Songp Street, Horizon View, Roodepoort household	0	1		6.4	0	0	0	50	10	Tap Water
GP	FLORIDA LAKE CANOE CLUB IN FLORIDA ROODEPOORT LAUNCH SITE	120	0	0	7.2	80	0	0	<10	10	Raw water source (river, dam etc)
GP	Joel street, Roodepoort, Davidsonville, 1724 Gauteng	50	0	0	6.8	40					Raw water source (river, dam etc)
GP	Willopark	50	0	0	6.8	0					Tap Water
GP	Cupido Cr, Roodepoort, Davidsonville, 1724, Gauteng	50	0	0	7.6	40					Tap Water
GP	Stream running past Ebuhleni Golf Course in Tembisa. From Phomolong and Sophiatown, passes farmal houses, and business - brick making	25	0.5	0	8.2	120	2	0.15	20	50	Raw water source (river, dam etc)
KZN	Umgeni River, canoe Club, Blue Lagoons	250	3	0.5	8.2	80	5	3	100	25	Raw water source (river, dam etc)
KZN	Crusaders canoe club, umgeni river, blue lagoons	250	1	1	8.2	120	10	1.5	50	10	Raw water source (river, dam etc)
KZN	Barners Rest, Old Point Rd	50	0	0	6.4	0	0	0	200	10	Bombhole water
KZN	Brabham House, Crowhome corner office park, Ballito 4420	50	1	3	7.2	120					Tap Water
KZN	Lenster Road PMS	25	0	0		0	0	0	<10	25	Tap water
KZN	Isipingo Beach(Mangroves) Lagoon	250	3	0	8.2	120					Raw water source (river, dam etc)
KZN	Balloo Gardens Estate, Jacans Drive, Umhlati	120	3	3	7.2	120					Drinking water
KZN	Umbilo sanctuary pond	0	0.5	0	8.2	360					Raw water source (river, dam etc)
KZN	Barnesley Road, Camps Drift	50	0.5	1	6	40	0	0.3	<10	25	Drinking water
KZN	Private residence in Seapark RNM	120	0.5	1	7.6	240	0	0	50	50	Tap water
KZN	Clinic in Shelly Beach RNM	120	0.5	0	8.2	180	0	0	100	25	Drinking water
KZN	Beachfront resort in Palm Beach	250	1	1	7.6	360	0	0	100	50	Drinking water
KZN	Private residence in Leisure Bay RNM	120	1	0	8.2	240	0	0	50	25	Drinking water
KZN	Stella Crescent, Queensburgh	425	0.5	0.5	6.8	80	0	0	20	10	Raw water source (river, dam etc)
Limpopo	Home municipal water	120	0	0	not recorded	180	0	0	20	25	Tap water
Limpopo	At a house that is supplied from a offgrid reservoir	120	0	0	not recorded	240			<10	0	Tap water
Limpopo	Tshufse stream tributary under the R71 near Phalaborwa Gate to KNP	120	0.5	0	not recorded	360	0	0.3	<10	0	Raw water source (river, dam etc)
Limpopo	Tshufse stream tributary where it crosses Copper Road	250	0.5	0	not recorded	360	0.5	0	<10	0	Raw water source (river, dam etc)
Limpopo	Selati river close to the Waterboard Road bridge	425	0	0	not recorded	360	0.5	0	<10	0	Raw water source (river, dam etc)
Limpopo	Ophants River at the Kambaku Lodge This is where the water for Phalaborwa is pumped to the service provider	425	0.5	0	not recorded	360	0	0	<10	0	Raw water source (river, dam etc)
Mpumalanga	Drinking water at Acacia Place security Estate, Dutha Park, willbank	250	1	1	7.6	80					Drinking water
Mpumalanga	Sabe River, Hazview, Upstream of a known sewage leak	120	3	0	7.2	80	0	0	<10	0	Raw water source (river, dam etc)
Mpumalanga	Lingspruit, Constant sewage spillage from municipality holding dam	250	3	1	9	120	0.5	0.15	<10	0	Raw water source (river, dam etc)
WC	Kat River launch jetty	50	0.5	0	6	0	0	0	<10	25	Raw water source (river, dam etc)
WC	Garden Route Dam close to the wall	50	0.5	0	6	0	0	0	<10	25	Raw water source (river, dam etc)
WC	Tap water sample from Groenikloof estate	50	0.5	0.5	6.8	0	0	0	200	10	
WC	Wilderness Views	25	0.5	0.5	7.2	80	0	0	<10	0	
WC	Kaamans River under N2/Wilderness bridge	425	0	0.5	7.6	0	0	0.3	<10	25	Raw water source (river, dam etc)
WC	Touws River by Pringles Creek (heading into Wilderness Central)	425	0	0.5	7.6	80	0	0	<10	0	Raw water source (river, dam etc)
WC	Malgas River by Keur River Bridge	120	0.5	0	6.8	0	0	0.15	50		Raw water source (river, dam etc)
WC	Canoe Launch Jetty (Swartvlei River / Sedgfield Lagoon)	425	0.5	0.5	7.2	120	0	0	20	25	Raw water source (river, dam etc)
WC	Shooping Centre in Sedgfield	250	0	0.5	7.2	240	2	0.15	20	25	Tap water
WC	Sandvlei Cape Town, middle of main vei between Sandvlei Sports Club and Park Island	425	10	0.5	not recorded	0	0	0	<10	0	Raw water source (river, dam etc)
WC	Sandvlei Yacht Club, near bulrushes, Sandvlei Nature Reserve, Cape Town	425	0.5	0.5	8.2	120					Raw water source (river, dam etc)
WC	Carengground Road, Newlands Cape Town, garden tap	120	3	1	7.2	40					Tap water
WC	Kat River canoe club launch area, George	50	0	0	7.2	40	0	0.3	<10	10	Raw water source (river, dam etc)
WC	Garden Route Dam Water upstream of dam wall	50	0	0	6	0	0	0.3	<10	10	Raw water source (river, dam etc)
WC	Municipal tap water	25	0	0.5	6.8	0	0	0.15	<10	0	Raw water source (river, dam etc)
	Farm, Malelane	25	0.5	0		360					Tap water
	Rustenburg Protea Park	50	0	0	6	0					Tap water
	Crocodile river		0.5	0.5	8.2	360					Raw water source (river, dam etc)

LEGEND	
Blue	Water is Safe
Orange	Water is a concern
Red	Water is not Safe
Grey	No results - used sample kits